



Mathematical Model for Ideal Production Stock with Deteriorating Items

Ravendra Kumar

Assistant Professor

Department of Mathematics, Govt. Girls Degree College, Bareilly, Uttar Pradesh

ARTICLE DETAILS

Research Paper

Keywords:

Deteriorating items;
Production; Inventory;
Shortages

ABSTRACT

This investigation used a production inventory model for decaying goods with steady demand is developed. In the inventory method, shortages are fully backlogged and permitted. This model seeks to identify each product's ideal cycle duration in order to minimize the anticipated overall cost, which includes holding, shortage, setup, and manufacturing costs. Additionally, the uniqueness and existence of optimal solutions' necessary and sufficient requirements are deduced. We offer straightforward, tractable analytical methods for obtaining the solution procedure using the model and numerical examples.

1. Introduction

Inventory is the collection of all resources and items that a company uses. The collection for guidelines which regulates & upholds inventory stages is called an inventory method [3]. It determines the appropriate time for stock replenishment and the size of orders. Any manufacturing company's primary goal is to increase profit by reducing overall costs. [3] Inventory managers frequently have to make a snap judgement about how best to balance carrying and ordering costs. Order quantity per unit time decreases as more orders are placed, which raises ordering costs even though carrying costs are quite low. Occasionally, this could result in stock outs and market losses. On the other hand, ordering a larger amount results in fewer orders and a significant reduction in ordering costs. However, the expense of carrying has increased. Additional storage space and retail employees are also needed. Extended storage may result in flaws in inventory items. Therefore, it's crucial to strike the right balance between ordering

and carrying costs. This results in the creation of an efficient inventory model that determines the portion mass at the least amount of inventory overall that is feasible. A waybill distribution and stock-dependent demand inventory model deterioration created through BabuKrishnaraj& Ramsey [1]. We looked at deterministic inventory systems with demand rates that depend on inventory levels. by Backer and Urban [2]. Operations management was examined by Chase et al. [3] in order to get a competitive edge. Goyal and Giri [4] looked at current developments in inventory deterioration modelling. A stock-dependent consumption rate inventory model was developed. by Gupta &Vrat [5]. An economical portion sizing manufacturing model for degrading commodities below two equal “trade credits” was created by Muniapan et al. [6]. Muniapan and Uthayakumar [7] investigated the use of mathematical analysis to determine the best “replenishment policies”. Padmanaban&Vrat [8] investigated EOQ models below stock dependent marketing rate for perishable goods. With fixed and linear backorders, an integrated production inventory system for perishable items was developed. by Ravithamal et al. [9]. An EOQ model was used to study price-sensitive demand for perishable goods by ShibSankar Sana [10].

An inventory model for production degradation of commodities with constant demand is studied in this paper. Additionally, the uniqueness and existence of optimal solutions' necessary and sufficient requirements are deduced. The suggested paradigm is demonstrated by the inclusion of numerical examples. This paper's comprehensive description is provided below. Rules and codes are provided in detail in section 2. Model formulation and numerical examples are provided in sections 3 and 4. Lastly, a summary and conclusion are given.

2. Assumptions & Notations:

The assumptions & Notations used for the Model are

1. Demand D is constant, while production rate P is higher than D .
2. Time horizon T and replenishment rate are limited.
3. There is no lead time and a constant deterioration rate, θ .
4. Production time is shown by t_1 .
5. the inventory level $I_1(t)$ when $0 \leq t \leq t_1$
6. the inventory level $I_2(t)$ when $t_1 \leq t \leq T$
7. Costs of production per unit (C_1) and shortage per unit (C_2) Order cost per unit (A) is a known and consistent amount.



8. The holding cost per unit over time is denoted by h .

3. Model design:

Let

$$\frac{dl_1(t)}{dt} + \theta I_1(t) = P - D; 0 \leq t \leq t_1 \quad (1)$$

$$\frac{dl_2(t)}{dt} = -D; t_1 \leq t \leq T \quad (2)$$

with $I_2(T) = 0$ and $I_1(t_1) = 0$ as boundary conditions. The equations (1) and (2) have the following solutions:

$$I_1(t) = \frac{P-D}{\theta} (1 - e^{\theta(t_1-t)}); 0 \leq t \leq t_1 \quad (3)$$

$$I_2(t) = D(T - t); t_1 \leq t \leq T \quad (4)$$

The following are the parts that make up the system's total cost:

➤ The typical setup expenses = $\frac{A}{T}$

The typical holding cost = $\frac{h}{T} \left\{ \int_0^{t_1} I_1(t) dt + \int_{t_1}^T I_2(t) dt \right\}$

$$\circ = \frac{h}{T} \left\{ \frac{(P-D)}{\theta^2} [1 - e^{\theta t_1}] + \frac{(P-D)}{\theta} t_1 + \frac{D}{2} [T - t_1]^2 \right\} \quad (5)$$

➤ The typical production cost = $\frac{C_1}{T} Q_0$

$$= \frac{C_1}{T} \left\{ \frac{(P-D)}{\theta} [1 - e^{\theta t_1}] + DT \right\} \quad (6)$$

$$(iv) \text{ The typical shortage cost} = \frac{C_2}{T} \int_{t_1}^T I_2(t) dt = \frac{DC_2}{2T} [T - t_1]^2 \quad (7)$$

Consequently, the average total cost in the time interval $[0, T]$ is represented by γ , meaning the total cost of setup, holding, production, and shortfall costs.

$$\Gamma = \frac{1}{T} \left\{ A + h \left\{ \frac{(P-D)}{\theta^2} [1 - e^{\theta t_1}] + \frac{(P-D)}{\theta} t_1 \right\} + \frac{D(h+C_2)}{2} [T - t_1]^2 + C_1 \left\{ \frac{(P-D)}{\theta} (1 - e^{\theta t_1}) + DT \right\} \right\} \quad (8)$$

To find the second order partial derivative of r with respect to T , we select a given T . This gives us

$$\frac{\partial \Gamma}{\partial T} = 0$$

$$\text{It means } \cdot, \frac{1}{T} \{ D(T - t_1)(h + C_2) + C_2 D \} - \frac{1}{T^2} \left\{ A + h \left\{ \frac{(P-D)}{\theta^2} [1 - e^{\theta t_1}] \right\} + \frac{(P-D)}{\theta} t_1 \right\} +$$

$$\frac{D(h + C_2)}{2} [T - t_1]^2 + C_1 \left\{ \frac{(P-D)}{\theta} (1 - e^{\theta t_1}) + DT \right\} = 0$$

$$T = \sqrt{\frac{2\Delta}{D(h + C_2)}}, \text{ Where } \Delta = A + h \left\{ \frac{(P - D)}{\theta^2} [1 - e^{\theta t_1}] + \frac{(P - D)}{\theta} t_1 \right\} + \frac{D(h + C_2)}{2} + C_1 \left\{ \frac{(P - D)}{\theta} (1 - e^{\theta t_1}) \right\}$$

$$\frac{\partial^2 T}{\partial T^2} = \frac{1}{T} D(h + C_2) - \frac{D}{T^2} (T - t_1)(h + C_2) + \frac{2}{T^3} \left\{ A + h \left[\frac{(P - D)}{\theta^2} [1 - e^{\theta t_1}] \right] + \frac{(P - D)}{\theta} \right\} + D(h + C_2)[T - t_1] + DC_1$$

At point $T = T^*$, $\frac{\partial^2 T}{\partial T^2} > 0$. Hence, the total optimum function that minimises the total inventory cost function T is T^* .

4. Numerical illustration:

Example

Suppose $A = 105, P = 510, D = 310, h = 0.06, \theta = 0.02, C_1 = 0.03, C_2 = 0.04$. Dissimilar prices of t_1 Table 1 provides the ideal values.




Fig 1: The impact of alterations as t_1 rises

Table-1

A succinct overview of the findings, using example 1

Parameter	T	$\partial F(\mathbf{T}, t_1)$
t_1 140/365	512.2872	3.2770×10^6
120/365	442.4666	2.4789×10^6
95/365	373.7485	1.7863×10^6
75/365	305.1423	1.2077×10^6
55/365	236.6495	7.4249×10^5
35/365	168.2685	3.9014×10^5
15/365	127.2939	2.3268×10^5

5. Conclusion

For decaying items with continuous demand, we have suggested a deterministic inventory model in this study. Shortages in this inventory system are fully permitted and backlogged.

My goal to identify best renewal strategies that will reduce the overall cost of inventory. Additionally, mathematical illustrations are given to show how the suggested ideal works. More realistic scenarios, including quantity discounts, credit terms, time-dependent demand, and shortages in the partial backlog, etc., can be included in the model that has been shown.

References:

1. R. BabuKrishnaraj and K. Ramsey, *An inventory model with stock dependent demand, Waybill distribution deterioration*, International Journal of Engineering Research and Technology, 24 (2013), 179-186.
2. R. C. Backer, and L.A. Urban, *Deterministic inventory system with an inventory level- dependent demand rate*. Journal of the Operational Research Society, 39(1988), 823-831. <http://dx.doi.org/10.1057/palgrave.jors.0390904>
3. R. B. Chase, N. J. Aquilano, F. R. Jacobs, *Operations Management for Competitive Advantage*, Tata McGraw Hill (2002), New Delhi, India.



4. S. K. Goyal and B. C. Giri, *Recent trends in modeling of deteriorating inventory*, European Journal of Operational Research, 134 (2001), 1-16. [http://dx.doi.org/10.1016/s0377-2217\(00\)00248-4](http://dx.doi.org/10.1016/s0377-2217(00)00248-4)
5. R. Gupta, and P. Vrat, *Inventory model for stock dependent consumption rate*, Opsearch, 23(1986), 19-24. 900 K. S. Swaminathan and P. Muniappan
6. P. Muniappan, R. Uthayakumar and S. Ganesh, *An economic lot sizing production model for deteriorating items under two level trade credit*, Applied Mathematical Sciences, 8(2014), 4737 – 4747. <http://dx.doi.org/10.12988/ams.2014.46468>
7. P. Muniappan and R. Uthayakumar, *Mathematical analyze technique for computing optimal replenishment polices*, International Journal of Mathematical Analysis, 8(2014), 2979 – 2985. <http://dx.doi.org/10.12988/ijma.2014.411357>
8. G. Padmanabhan, and P. Vrat, *EOQ models for perishable items under stock dependent selling rate*, European Journal of the Operational Research, 86(1995), 281-292. [http://dx.doi.org/10.1016/0377-2217\(94\)00103-j](http://dx.doi.org/10.1016/0377-2217(94)00103-j)
9. M. Ravithammal, R. Uthayakumar and S. Ganesh, *An Integrated Production Inventory System for Perishable Items with Fixed and Linear Backorders*, International Journal of Mathematical Analysis, 8(2014), 1549 – 1559. <http://dx.doi.org/10.12988/ijma.2014.46176>
10. ShibSankar Sana, *Price-sensitive demand for perishable items—an EOQ model*, Applied Mathematics and Computations, 217(2011), 6248-6259. <http://dx.doi.org/10.1016/j.amc.2010.12.113>